



ITAK



**PROFICIENCY TESTING PLAN
FOR COPPER ORE AND CONCENTRATES
2021**

ACCREDITATION

ITAK – Instituto de Tecnologia August Kekulé is an ABNT NBR ISO / IEC 17043 Proficiency Testing provider accredited by “Coordenação Geral de Acreditação do Inmetro (Cgcre)”, for the following PT's: Iron Ore, Gold Ore, Copper Ore and Concentrates, Nickel Ore, Silver and Niobium Iron Alloy. Our aim is providing continuous improvement practices in performing chemical analyzes worldwide to our customers.

The project is going to continue and in **2021** ITAK is going to promote four rounds of **Proficiency Testing Program for Copper Ore and Concentrates** and invites the laboratories of such market to join the group of participants.

BENEFITS

Besides an impartial tool of assessment laboratory performance, the participation in proficiency tests has several benefits, such as:

- ✓ Adherence to one of the requirements of ISO / IEC 17025 for companies already Accredited, or searching to accreditation on this ISO standard or other quality systems;
- ✓ Increased metrological reliability of the results obtained by the laboratory from their levels of precision and accuracy;
- ✓ Comparison with other industry laboratories and finding improvement opportunities to increase performance level (benchmarking);
- ✓ The opportunity of evaluation and comparison of methodologies seeking one that best suits the level of accuracy required for specific parameters and levels;
- ✓ Awareness on the type of deviations that may be done by the laboratory (systematic or random) guiding actions to eliminate/minimize them;
- ✓ Identify staff training needs; and/or normalization or improvement of analytical methods.

CONFIDENTIALITY

According to a confidentiality protocol adopted by ITAK, the labs are identified by specific numerical codes, and the participant knowledge and access only to their own code, avoiding collusion among participants, which in case of occurrence or suspicion, it will be properly investigated and handled by the program coordination team.

The performance comments described in the final reports are also confidential and intended to provide important information to the person in charge of the laboratories so that they have a thorough evaluation of the quality aspects of their analysis and know where to act effectively to correct possible deviations.

The experimental results obtained by the Participant Laboratory or even their performance in the Proficiency Testing may be disclosed to third parties with the consent of the Participant Laboratory.

STATISTICAL TREATMENT

For this Proficiency Test, it is required a group of participants greater than 6 (six) laboratories. The results obtained by the participants are evaluated according to methodologies and statistical tools referenced

by the ISO standards.

According to the results for accuracy assessments, the performance of the participants can be classified as satisfactory, unsatisfactory, or questionable for each parameter evaluated.

If the participant does not provide complete data to evaluation for some specific analyses, the report will be issued as “insufficient data”.

Each used statistical technique has its use limited and conditioned to the number of participants who reports numerically valid results and approved in the Evaluation and Treatment Outliers.

SAMPLES AND ANALYSES

In 2021, **ITAK** will launch four rounds of **Proficiency Testing Program for Analyzes of Copper Ore and Concentrates**, each one consisting of 10 samples referring to two reference materials of different concentration. Each sample will be split into five (05) sachets containing **60 g** each.

The samples used in the Proficiency Test are Reference Materials (RM) with proven homogeneity and stability. RM's are produced by ITAK following the ISO 9001: 2015 Quality Management System and ISO quality protocols (ISO Series Guide 30 to 35) and ABNT NBR ISO 17034 - General requirements for competence of reference materials producers.

The participating laboratory is required to undertake one (1) independent determination in each sample, preferably in five (05) different days, analyzing a couple a day, employing one or more validated analytical methods. The methods used should be reported with the results. The samples must be analyzed as ordinary routine samples of the laboratory, without any special treatment.

The parameters to be determinate in each sample are listed below:

- ✓ **(Copper) Cu, (Iron) Fe, (Nickel) Ni, (Gold) Au, (Silver) Ag, (Sulfur) S, (Carbon) C, (Fluorine) F, (Chlorine) Cl, (Arsenic) As and (Silicon) SiO₂.**

The samples will be sent by ITAK from João Monlevade / MG, under the guidance of the Participant Laboratory, using an appropriate way to transport. In case of loss or damage to any test item, ITAK will evaluate the possibility of replacement, which will depend on how it can be transported and the delivery deadline not to compromise the schedule.

It is the participant's responsibility to follow up and clarify the shipment through customs or carrier when it is required. If samples come back to ITAK because of incorrect address information or because the laboratory has not clarified the shipment through customs, ITAK can charge reshipping expenses.

Test items can be shipped using customer account on FedEx, DHL, and UPS carriers.

Along with the samples will also follow instructions directing the Participating Laboratory on how to treat the samples, carry out the analyzes and report the analytical results.

Any communication about this Proficiency Testing, such as doubts, reporting of results, technical reports, and certificates of participation, is by software available at www.itak.com.br/app for participating laboratories.

In addition to their test results and methodologies, ITAK PT participants should also report the measurement uncertainties of each analyzed parameter (if available). It has to be sent as the Standard Uncertainty Combined, without application of any coverage factor, which would make it Expanded Uncertainty. Such data should be reported in specific fields in the ITAK PT Management System.

Invalid analytical results such as "less than" or "zero" are not amenable to statistical evaluation. Therefore, in these situations, ITAK will not do the participant performance evaluation.

ANALYTICAL METHODS

The participant laboratory should use its routine procedures to analyze the requested parameters. The suggested analytical methods for the **Proficiency Testing Program in Analyzes of Copper Ore and Concentrates** are:

- ✓ **Copper Ore (Cu):** Acid digestion and determination by AAS or ICP.
- ✓ **Copper Concentrate (Cu):** Acid digestion and determination by Titration or Electrogravimetry.
- ✓ **Iron (Fe), Nickel (Ni), Gold (Au), Silver (Ag), Silicon (SiO₂) and Arsenic (As):** Acid digestion or Fusion and determination by AAS or ICP.
- ✓ **Sulfur (S):** Determination by infrared analyzer – LECO or Gravimetry
- ✓ **Carbon (C):** Determination by infrared analyzer – LECO
- ✓ **Fluorine (F):** Acid digestion and determination by Potentiometric Method; Ion Specific Electrode.
- ✓ **Chlorine (Cl):** Acid digestion and determination by Titration.

The methodologies used should be reported, whenever possible, mentioning the standard "Digestion Technique / Reading Instrument" using simplified codes according to the following examples:

- Alkaline Fusion and ICP-OES finish: **FUSALK-ICP**;
- Fusion and X-Ray Fluorescence finish: **FUS-XRF**;
- Four acid digestion (HF,HNO₃,HClO₄,HCl) and Atomic Absorption Spectrometry finish: **DIG4AC-AAS**;
- Four acid digestion (HF,HNO₃,HClO₄,HCl) and Titrimetric finish: **DIG4AC-TIT**;
- Four acid digestion (HF,HNO₃,HClO₄,HCl) and ICP-OES finish: **DIG4AC-ICP**;
- Acid digestion (HCl) and Atomic Absorption Spectrometry finish: **DIGAC-AAS**;
- Acid digestion (HCl) and Titrimetric finish: **DIGAC-TIT**;
- Acid digestion (HCl) and ICP-OES finish: **DIGAC-ICP**;
- Aqua Regia digestion (HCl and HNO₃) and Atomic Absorption Spectrometry finish: **DIGAR-AAS**;
- Aqua Regia digestion (HCl and HNO₃) and Titrimetric finish: **DIGAR-TIT**;
- Aqua Regia digestion (HCl and HNO₃) and ICP-OES finish: **DIGAR-ICP**;
- Fire Assay and Atomic Absorption Spectrometry finish: **FA-AS**;
- Fire Assay and ICP-OES finish: **FA-ICP**;
- Fire Assay and Gravimetric finish: **FA-GRA**;

- DIBK Extraction and Atomic Absorption Spectrometry finish: **DIBK-AAS**;
- MIBK Extraction and Atomic Absorption Spectrometry finish: **MIBK-AAS**;
- Combustion and Infrared Analyzer (Leco): **COMB-IR**;
- Alkaline fusion and Ion Selective Electrode: **FUSALK-ISE**;
- Acid Leach and Potentiometric: **LIXAC-POT**;
- Gravimetric: **GRA**;
- Colorimetric: **COL**;
- Electrogravimetric: **ELETGRA**;

SCHEDULE FOR 2021 ROUNDS

The proposed schedule for 2021 is presented in the table below however it can be adjusted as required. The official schedule will be available on the PTP Management System and/or communication-related to each round.

Steps of Program	1 st Round 2021 (36 th round)	2 nd Round 2021 (37 th round)	3 rd Round 2021 (38 th round)	4 th Round 2021 (39 th round)
1- Sending invitations	10/Fev/2021	---	---	---
2-Confirmation of participants	26/Mar/2021	---	---	---
3- Sending samples to the participants	28/Apr/2021	09/Jul/2021	09/Aug/2021	01/Oct/2021
4- Receiving samples by the participants	12/May/2021	23/Jul/2021	27/Aug/2021	18/Oct/2021
5- Completion of the analyses and report the results by the participants	07/Jun/2021	20/Aug/2021	27/Sep/2021	19/Nov/2021
6- Preparation and delivery of Performance Report to the participants.	28/Jun/2021	08/Set/2021	15/Oct/2021	06/Dec/2021

Note: the dates in bold (item 5) must be met to avoid delays in issuing the results, which can compromise the subsequent rounds of the program. If delays occur, the Program Coordination must be contacted to assess the possibility of extending the deadline without compromising the schedule or loss to the other participants. If there are unjustified delays, ITAK may close the rounds without the missing results.

For each round, the instructions will be sent along with the samples, containing guidelines on how the laboratory should proceed, and specific information about the samples such as expected levels of the analyte (s).

REQUIREMENTS FOR PARTICIPATION

The Laboratory interested in participating in the **Proficiency Testing Program for Copper Ore and Concentrates** - ITAK - 2021 should be a legal responsible organization with technical capacity and equipment to carry out the chemical analysis of its scope; complete the registration form on the ITAK website at <https://pep.itak.com.br/login.php>, confirming its participation until the deadline set in the schedule.

PERFORMANCE REPORT

For each round of the **Proficiency Testing Program for Copper Ore and Concentrates – 2021**, ITAK will issue a personalized digital Interlaboratory Performance Evaluation Report under confidentiality identification for the internal evaluation of the Participant Laboratory and identifying improvement opportunities.

The Performance Report is structured following the ABNT NBR ISO/IEC 17043 requirements.

If the participant wants to receive the report of another unit of the same business group, it must be requested directly to the person in charge, or through a formal authorization from the person in charge. Preliminary reports will not be issued.

If required, ITAK may rectify or ratify reports provided that such corrections do not require further statistical processing of data. All rectification generates a new version and new report number that will replace the previous version when published and communicated.

If required, by law, the performance report can be delivered or presented to Regulatory Entity or Public Prosecutor's Office without participant permission who will be formally and previously communicated.

If it is not possible to deliver the performance report on the date planned in the schedule, the participants will be promptly notified of the possible delay and on the new date delivery.

ITAK Interlaboratory Performance Report is accepted as an ISO/IEC 17025 requirement.

APPEAL

The participant of ITAK's Proficiency Test has the right of appeal against its performance evaluation on the Technical Report.

The participating who has doubts or disagrees with the performance evaluation must register its appeal in the "Appeals" field in the Proficiency Test Management System.

Meeting a requirement of ABNT NBR ISO/IEC 17043 - Conformity assessment – General requirements for proficiency testing, ITAK has a procedure that manages this process.

INVESTMENT

Request us a proposal by email: tecnologia@itak.com.br.

ITAK has an attractive discount policy such as: participation of several units companies belonging to the same economic group, discounts for laboratories participation in more than one PT, discounts for purchase ITAK's CRM, etc. Find out more by contacting us through: interlab@itak.com.br

All customs duties are participants' responsibility.

The participant is responsible for the bank transfer taxes. The bank expenses must be not shared.

SUBCONTRACTED ACTIVITIES

For this PT, homogeneity tests analyses of Reference Materials used as samples (test items) can be subcontracted from competent laboratories.

COORDINATION TEAM

Bráulio de Freitas Pessoa
Technical Director

Contacts: email: interlab@itak.com.br

Telephone number: +55 31 3851 3166

WhatsApp: +55 31 99955 1502